

Work Order ID 128898

128898

Page 1

Tuesday, January 27, 2015 7:53:38 AM

Item ID: D3303-041 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Head Rest
 Start Date: 1/26/15 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 1/26/15 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 15-01-29 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr	
D3303	Rev B	

100	Small Fab	0.00	4X	15/02/19	DAS 36 9-89
100	Memo	0.00			
Small Fab	1- Bond foam to D3303-043 bracket assembly as per Dwg D3303 using 3M 1300/1300L adhesive. Identify as D3303-041A/R 3M 1300/1300L Adhesive Batch: <u>M131012</u> 2- Cover Head Rest with D3306-041 as per Dwg D3303				
Small Fab					
110	QC5- Inspect part completeness to step on W/O	0.00	(4)		DAS 38 9-89
110	Memo	0.00			
QC					
Quality Control					
120	Packaging	0.00	4		DAS 66 9-89
120	Memo	0.00			
Packaging	Identify with P/N and B/N, also identify the back of the headrest with TCCA-PDA # PDA04-11 using a permanent fine point marker as per Dwg D3303 , then StockLocation: <u>SF457</u>				
Packaging					

FEB 20 2015

FEB 21 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Crosstube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐
--	--	---

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Work Order ID 128898***128898***

Page 2

Tuesday, January 27, 2015 7:53:38 AM

Item ID: D3303-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Head Rest
Start Date: 1/26/15 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 1/26/15 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
130									
QC	Memo	0.00							
Quality Control									

15/2/23

DS-2-23

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Crosstube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐
--	--	---

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge	☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--	--

Picklist Print

Tuesday, January 27, 2015 7:53:37 AM

Page 1

Work Order ID: 128898

128898

Parent Item: D3303-041

D3303-041

Parent Item Name: Head Rest

Start Date: 1/26/15

Required Date: 1/26/15

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP: B04.10.05 Revised Step 5 with headrIPP identificationKJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3303-043		Manufactured	No			100	Each	12.0000	1	4			DAS
													36
													9-89

D3303-043

Bracket Assembly

Location Loc Qty Loc Code

GA 4
123641 4
ST459 8
127392 8

D3305-1

Manufactured No

100 Each 9.0000 1 4

D3305-1

Cushion

Location Loc Qty Loc Code

ST460 9
98046 9

D3306-041

Manufactured No

100 Each 5.0000 1 4

D3306-041

Cover Assembly

Location Loc Qty Loc Code

ST460 5
109604 1
40910 1
86946 1
88565 1
98000 1

15/02/19

15/02/19

B127495 (4x)

15/02/19

B127710 (4x)

DAS
36
9-89

DAS
36
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																


Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence
		☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge
		☐ Pressure/Forced Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other




DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3303	REV. B SHEET 1 OF 4
DATE 06.08.17		TITLE HEAD REST	SCALE 1:3
REV	DATE	DESCRIPTION	
A	04.08.18	NEW ISSUE	
B	06.08.17	UPDATED FLAT PATTERN TO FORM PART IN ONE OPERATION USING OFFSET DIE	



RELEASED

06-09-19 *[Signature]*

DEO ATTACHED



D3303-041 HEAD REST

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3303-041	HEAD REST
1	1	D3303-043	BRACKET ASSEMBLY
2	1	D3305-1	FOAM
3	1	D3306-041	COVER ASSEMBLY

NOTES:

- 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACORDDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 2) COVER HEAD REST WITH D3306-041 COVER ASSEMBLY AS SHOWN
- 3) PART IS SYMMETRICAL AT CENTERLINE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) IDENTIFY AS FOLLOWS USING FINE POINT PERMANENT INK MARKER:
"TCCA-PDA, DART AEROSPACE LTD, P/N D3303-041 B/N BXXXXX, FOR PRODUCT ELIGIBILITY SEE PDA04-11"

COPYRIGHT © 2004 BY DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>PH</i>	DRAWN BY <i>PH</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>PH</i>	DRAWING NO. D3303	REV. B SHEET 2 OF 4
DATE 06.08.17		TITLE HEAD REST	SCALE 1:2

INSTALL ITEM ⑤
MS20470AD4-4 RIVETS
(16 PLACES)

MASK THREADS
PRIOR TO PAINT
(4 PLACES)




INSTALL ITEM ③
MS21075L3 NUT PLATE (1)
USING ITEM ④
MS20426AD3-3 RIVET (2)
(4 PLACES)

DEO ATTACHED

RELEASED

06.09.19 *PH*



D3303-043 BRACKET ASSEMBLY

ITEM	QTY -043	P/N	DESCRIPTION
	X	D3303-043	BRACKET ASSEMBLY
1	1	D3303-1	PLATE
2	1	D3303-3	HEAD REST
3	4	MS21075L3	NUT PLATE
4	8	MS20426AD3-3	RIVET
5	16	MS20470AD4-4	RIVET

NOTES:


- 1) FINISH: POWDER COAT ASSEMBLY GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

COPYRIGHT © 2004 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>PH</i>	DRAWN BY <i>JS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>JS</i>	DRAWING NO. D3303	REV. B SHEET 3 OF 4
DATE 06.08.17		TITLE HEAD REST	SCALE 1:2



D3303-1 PLATE

NOTES:

- 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.032 THICK SHEET
(REF. DART SPEC. M2024T3S.032)
- 2) FINISH: CHEMICAL CONVERSION COAT AS PER DART QSI 005.4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015


COPYRIGHT © 2004 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN <i>PH</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>B</i>	DRAWING NO. D3303	REV. B SHEET 4 OF 4
DATE 06.08.17		TITLE HEAD REST	SCALE 1:2

DEO ATTACHED



D3303-3F BRACKET FLAT PATTERN



D3303-3 BRACKET BEND DETAIL

NOTES:

- 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.040 THICK SHEET (REF. DART SPEC. M2024T3S.040)
- 2) FINISH: CHEMICAL CONVERSION COAT AS PER DART QSI 005.4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015

COPYRIGHT © 2004 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DRAWING NO. D3303	TITLE HEAD REST	REV. B	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D3303-B-1	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN AJS	CHECKED <i>l</i>	MFG. APPR. <i>ll</i>	APPROVED <i>ll</i>		DE APPR. <i>ll</i>		
DATE 08.10.15	DATE <i>08.10.15</i>	DATE <i>08/10/16</i>	DATE <i>08/10/16</i>		DATE <i>08/10/16</i>		

SHEET 1 ADD 1300L ADHESIVE BY 3M TO NOTE 1 AS FOLLOWS:

IS:

NOTES:

- 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 OR 1300L ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS

WAS:

NOTES:

- 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS

SEE NCR 08-069 FOR FURTHER DETAILS

RELEASED
08/11/16 ll